



SHOULDER STRAP

SHOULDER STRAP



Rev A



CNX2-SS

This shoulder strap allows for use in both portrait and landscape orientation.


Please be sure to follow the directions that correspond with your desired result.

CONTENTS

What's Included	1
Assembly: Portrait	3
Assembly: Landscape	9
Disassembly	15


WHAT'S INCLUDED

I:1



Main Strap
(1)

I:2



Lanyard Clips
(2)

I:3




Lanyard Hook
(1)

ASSEMBLY: PORTRAIT



1


Feed first Lanyard Clip (I:2) through tablet lanyard mount.



ASSEMBLY


2

Use Hook (I:3) to pull Lanyard Clip through mount.



3


Push Lanyard Clip through itself and pull tight.



ASSEMBLY


4

For portrait orientation, repeat steps 1-3 on opposite side.



5

Connect Main Strap (I:1) to Lanyard Clips.




ASSEMBLY: LANDSCAPE



1


Feed first Lanyard Clip (I:2) through tablet lanyard mount.



ASSEMBLY


2

Use Hook (I:3) to pull Lanyard Clip through mount.



3


Push Lanyard Clip through itself and pull tight.



ASSEMBLY


4

For landscape orientation, repeat steps 1-3



5


Connect Main Strap (I:1) to Lanyard Clips.



DISASSEMBLY

1


Use Hook (I:3) to loosen knot.



DISASSEMBLY


2

Feed Lanyard Clip through loop of cord and pull free.



3

Repeat steps 1 and 2 with second Lanyard Clip.



Disassembly Complete

